

TABLE OF CONTENT

3

Beverage Merchandisers 4

Glass Door Freezers 5

Display Cases

10

Back Bars

12

Undercounter Refrigerators 13

Undercounter Freezers

14

Prep Tables

16

Chef Bases

17

Stainless Steel Refrigerators

18

Stainless Steel Freezers 19

Ice Cream Freezers

22

Accessories



BEVERAGE MERCHANDISERS



NGR-036-H
Signature Series

NGR-036-H Dimensions: 24" x 23" x 78" | Capacity: 13 Cu. Ft. (360 L) NGR-068-H Dimensions: 30" x 30" x 78" | Capacity: 22.5 Cu. Ft. (640 L) NGR-40-S Dimensions: 39.5" x 29" x 80" | Capacity: 28 Cu. Ft. (793 L) NGR-48-S Dimensions: 48" x 30" x 82" | Capacity: 38 Cu. Ft. (1073 L) NGR-115-S Dimensions: 54.5" x 29.5" x 82" | Capacity: 40.5 Cu. Ft. (1150 L)



NGR-48-S Signature Series

- CFC-free
- 0-10 °C temperature range
- Exterior LED sign light
- Evaporator pan
- Auto-defrost
- · White aluminum cabinet
- Double pane tempered glass
- LED interior lighting
- Digital temperature control



GLASS DOOR FREEZERS



NGF-054-H Dimensions: 27" x 30" x 78" | Capacity: 19 Cu. Ft. (544 L) NGF-122-H Dimensions: 54.5" x 30" x 78" | Capacity: 43 Cu. Ft. (1225 L) NGF-182-H Dimensions: 78" x 30" x 78" | Capacity: 64.5 Cu. Ft. (1827 L)

NGF-054-H
Signature Series

- -18 to -23 °C temperature range
- Digital temperature control
- Easy to clean
- Bottom mounted compressor
- LED interior lighting
- Aluminum interior
- · R290 refrigerant



Signature Series



Curved Glass Refrigerated Display Case

Dimensions: 47.5" x 32.5" x 43" Capacity: 18 Cu. Ft. (510 L)

- 0-6 °C temperature range
- Auto-defrost
- Digital temperature control
- Ventilated cooling system
- Heavy duty adjustable PVC coated shelves
- Gravity coil refrigeration system provides exceptional product preservation
- Easy to clean due to rounded corner design





NOM-40-S

Signature Series

Open Merchandiser

NOM-40-S Dimensions: 39.5" x 27.5" x 79" | Capacity: 18 Cu. Ft. (510 L) NOM-52-S Dimensions: 51" x 27.5" x 79" | Capacity: 24 Cu. Ft. (677 L)

- -1 to 7 °C temperature range
- · Digital temperature control
- Adjustable shelves with price tag channel
- · Brilliant LED lighting
- Double tempered side glass
- Durable and reliable

- · Night curtain standard
- Ideal for restaurants, cafés, convenience stores and supermarkets







NCC-36-SS

Signature Series

Dual Temperature Combination Case

NCC-36-SS Dimensions: 36" x 32" x 59" | Capacity: 6.5 Cu. Ft. (170 L) NCC-48-SS Dimensions: 47.5" x 32" x 59" | Capacity: 8.9 Cu. Ft. (232 L)

- 2 to 5 °C temperature range
- Digital temperature control
- Anti-fog curved glass
- Brilliant LED lighting
- · Rear sliding door
- Durable and reliable
- Night curtain standard
- Ideal for restaurants, cafés, convenience stores and supermarkets









NDC-014-SG **Signature Series**

Square Glass Refrigerated Display Case

NDC-014-SG Dimensions: 35" x 29" x 53.5" | Capacity: 14.7 Cu. Ft. (417 L) NDC-019-SG Dimensions: 47" x 29" x 53.5" | Capacity: 19 Cu. Ft. (542 L)

- · 2-6 °C temperature range
- · Digital temperature control
- Adjustable glass shelving
- Brilliant LED lighting
- Rear sliding door
- · Durable and reliable
- · Internal thermometer





Curved Glass Refrigerated Display Case

NDC-014-CG Dimensions: 48" x 26.5" x 48" | Capacity: 14 Cu. Ft. (170 L) NDC-017-CG Dimensions: 59.5" x 26.5" x 48" | Capacity: 17.5 Cu. Ft. (232 L)

- 0-12 °C temperature range
- Digital temperature control
- Adjustable glass shelving
- Brilliant LED lighting
- Rear sliding door
- · Durable and reliable
- · Double tempered glass











Refrigerated Countertop Display Case

NDC-013-CD Dimensions: 28" x 23" x 27" | Capacity: 4.6 Cu. Ft. (130 L) NDC-016-CD Dimensions: 35" x 23" x 27" | Capacity: 5.6 Cu. Ft. (160 L)

- 0-12 °C temperature range
- Digital temperature control
- Adjustable chrome-plated shelves
- Brilliant LED lighting
- Double pane tempered glass
- Stainless steel
- Double glass on all sides





Heated Countertop Display Case

NDC-013-HT Dimensions: 28" x 23" x 28" | Capacity: 4.6 Cu. Ft. (130 L) NDC-016-HT Dimensions: 34" x 23" x 28" | Capacity: 5.6 Cu. Ft. (160 L)



Brilliant LED lighting Double pane tempered glass

30-90 °C temperature range Digital temperature control

Adjustable chrome-plated shelves

- Stainless steel







NDC-013-HT





Countertop Refrigerated Display

NDC-010-RD Dimensions: 19" x 19" x 41" | Capacity: 3.5 Cu. Ft. (100 L) NDC-078-SS Dimensions: 17" x 16" x 39" | Capacity: 2.75 Cu. Ft. (78 L)

- 2-8 °C temperature range
- Auto-defrost
- · Digital temperature control
- Ventilated cooling system
- · Double glazing glass
- Brilliant LED lighting
- Adjustable shelving





NDC-010-RD



Vertical Display Case

Capacity: 14 Cu. Ft. (400 L) Dimensions: 26" x 26" x 75"

- 0-10 °C temperature range
- Auto-defrost
- Digital temperature control
- Ventilated cooling system
- Adjustable chrome-plated shelves
- Brilliant LED lighting

- Easy to clean
- · Stainless steel base
- Double glass on all sides
- On/off switch
- · Optional: wine shelving





NDC-040-SS




NBB-60-SB Dimensions: 59" x 27" x 36" | Capacity: 19 Cu. Ft. (546 L) NBB-90-SB Dimensions: 90" x 27" x 36" | Capacity: 32 Cu. Ft. (916 L)

- 0-5 °C temperature range
- Brilliant LED lighting
- Self-closing doors with locks
- Easily accessible condenser for cleaning and easy servicing
- Adjustable heavy duty PVC coated shelves
- Space-saving side mounted evaporator to optimize interior cabinet space
- Stainless steel









- 0-5 °C temperature range
- · Brilliant LED lighting
- Self-closing doors with locks
- Easily accessible condenser for cleaning and easy servicing
- Adjustable heavy duty PVC coated shelves
- Space-saving side mounted evaporator to optimize interior cabinet space
- Stainless steel
- Tempered glass





WEW*DIR

UNDERCOUNTER REFRIGERATORS



NUR-029-SS Dimensions: 29" x 31.5" x 35" | Capacity: 6.9 Cu. Ft. (195 L) NUR-048-SS Dimensions: 48" x 31.5" x 35" | Capacity: 12 Cu. Ft. (346 L) NUR-060-SS Dimensions: 60" x 31.5" x 35" | Capacity: 15 Cu. Ft. (440 L) NUR-072-SS Dimensions: 72" x 31.5" x 35" | Capacity: 19 Cu. Ft. (537 L)

- 0.5-4 °C temperature range
- Standard heavy duty casters
- Positive seal self-closing door with 90° open feature
- Stainless steel interior and exterior
- Adjustable temperature set point and defrost frequency
- Condensing unit in the back of the cabinet with slide-out access for easy maintenance
- · Adjustable heavy duty PVC coated shelves



MEW*AIR

UNDERCOUNTER FREEZERS



NUF-029-SS Dimensions: 29" x 31.5" x 35" | Capacity: 6.9 Cu. Ft. (195 L) NUF-048-SS Dimensions: 48" x 31.5" x 35" | Capacity: 12 Cu. Ft. (346 L) NUF-060-SS Dimensions: 60" x 31.5" x 35" | Capacity: 15 Cu. Ft. (440 L) NUF-072-SS Dimensions: 72" x 31.5" x 35" | Capacity: 19 Cu. Ft. (537 L)

- 0.5-4 °C temperature range
- Standard heavy duty casters
- Positive seal self-closing door with 90° open feature
- Stainless steel interior and exterior
- Adjustable temperature set point and defrost frequency
- Condensing unit in the back of the cabinet with slide-out access for easy maintenance
- Adjustable heavy duty PVC coated shelves





Salad/Sandwich Prep Table

NPT-029-SA Dimensions: 29" x 31.5" x 46" | Capacity: 6.5 Cu. Ft. (186 L) NPT-048-SA Dimensions: 48" x 31.5" x 46" | Capacity: 11.5 Cu. Ft. (325 L) NPT-060-SA Dimensions: 60" x 31.5" x 46" | Capacity: 15 Cu. Ft. (405 L) NPT-072-SA Dimensions: 72" x 31.5" x 46" | Capacity: 18 Cu. Ft. (499 L)

- 0.5-4 °C temperature range
- · Digital temperature control
- Adjustable heavy duty PVC coated shelves
- Stainless steel interior and exterior
- Bottom mounted compressor

Insulated lid maintains food freshness







Pizza Prep Table

NPT-044-PI Dimensions: 44.5" x 31.5" x 43.5" | Capacity: 10 Cu. Ft. (280 L) NPT-070-PI Dimensions: 70" x 31.5" x 43.5" | Capacity: 17.5 Cu. Ft. (495 L) NPT-090-PI Dimensions: 90" x 31.5" x 43.5" | Capacity: 25 Cu. Ft. (705 L)

Signature Series

- 0.5-4 °C temperature range
- Digital temperature control
- Adjustable heavy duty PVC coated shelves
- Stainless steel interior and exterior
- Bottom mounted compressor
- Insulated lid maintains food freshness
 - R290 refrigerant





NCB-036-SS Dimensions: 36" x 32.5" x 25.5" | Capacity: 29 Cu. Ft. (821 L) NCB-052-SS Dimensions: 52" x 32.5" x 25.5" | Capacity: 34 Cu. Ft. (960 L)

- 0.5-5 °C temperature range
- Adjustable temperature set point and defrost frequency
- Each drawer fits 3 full-size 12x20 pans
- · Easy to clean due to rounded corner design
- Drip resistant "V" edge protects against spills
- Standard heavy duty casters
- Stainless steel interior and exterior
- Easy to open drawers with heavy duty pull handles
- · R290 refrigerant





STAINLESS STAINLESS STAINLESS REFRIGERATORS



NSR-050-H Dimensions: 27.5" x 32.5" x 80" | Capacity: 18 Cu. Ft. (504 L) NSR-115-H Dimensions: 55" x 32.5" x 80" | Capacity: 41 Cu. Ft. (1153 L)

- 0-5 °C temperature range
- Digital temperature control
- Adjustable shelving
- LED interior lighting
- · Bottom mounted compressor
- Auto-defrost
- · R290 refrigerant



NSR-050-H

Signature Series



Signature Series



NIF-35-CG Dimensions: 35" x 24.5" x 34" | Capacity: 7.4 Cu. Ft. (168 L) NIF-49-CG Dimensions: 49" x 24.5" x 34" | Capacity: 11.5 Cu. Ft. (268 L) NIF-55-CG Dimensions: 55" x 24.5" x 34" | Capacity: 13 Cu. Ft. (308 L)

- -18 °C temperature range
- · Adjustable thermostat
- Manual defrost
- Built-in lock
- Aluminum interior
- Sliding curved glass doors
- Wire baskets included







NIF-24-CG Dimensions: 24" x 26" x 34" | Capacity: 3.6 Cu. Ft. (102 L) NIF-32-CG Dimensions: 32" x 27.5" x 34" | Capacity: 6.7 Cu. Ft. (190 L) NIF-61-CG Dimensions: 61" x 27.5" x 34" | Capacity: 14 Cu. Ft. (394 L)

- Front and rear casters
- Sliding glass doors for easy viewing and access of products
- Anti-condensation and frosting
- Brilliant LED interior lighting
- Wire baskets included



NIF-41-FG Dimensions: 40.5" x 26.5" x 33" | Capacity: 8.5 Cu. Ft. (238 L) NIF-50-FG Dimensions: 50" x 26.5" x 33" | Capacity: 11 Cu. Ft. (312 L) NIF-60-FG Dimensions: 60" x 26.5" x 33" | Capacity: 13.5 Cu. Ft. (388 L)

- Front and rear casters
- Sliding glass doors for easy viewing and access of products
- Anti-condensation and frosting
- Brilliant LED interior lighting
- Wire baskets included





NIF-50-FG





NIF-41-DC Dimensions: 41" x 24.5" x 51" | Capacity: 8.5 Cu. Ft. (238 L) NIF-50-DC Dimensions: 50" x 24.5" x 51" | Capacity: 11 Cu. Ft. (312 L) NIF-60-DC Dimensions: 60" x 24.5" x 51" | Capacity: 13.5 Cu. Ft. (388 L)

- Front and rear casters
- Sliding glass doors for easy viewing and access of products
- Anti-condensation and frosting
- · Brilliant LED interior lighting
- · Wire baskets included
- 18" glass canopy







ACCESSORIES



ICE CREAM FREEZER BASKETS

Additional baskets available for all ice cream freezers




SHELVES

Epoxy-coated shelves available for all models; Sizes vary



GLASS CANOPY

Glass canopies available for flat glass freezers



CUTTING BOARDS

Additional cutting boards available for Salad/Sandwich Prep Tables (NPT-SA) and Pizza tables (NPT-PI)



CASTERS

Casters, with and without locks, available in various sizes



WARRANTY INFORMATION

PARTS AND LABOUR

New Air warrants to the original purchaser of every New Air refrigerated unit, the cabinet and all parts thereof, to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by New Air and upon proper installation and start-up in accordance with the user guide supplied with each New Air unit. New Air obligation under this warranty is limited to a period of 1 year from the date of original installation or 15 months after shipment date from New Air, whichever occurs first.

Exclusions: travel charges, time, mileage, or additional charges. For full warranty description and procedures, please visit the New Air website.

COMPRESSOR

In addition to the warranties stated above, New Air warrants its hermetically and semihermetically sealed compressors to be free from defects in both material and workmanship under normal and proper usage and maintenance service for a period of two (2), three (3) or four (4) additional years (depending on the unit) from the date of original installation but not to exceed five (5) years and three (3) months after shipment from the manufacturer.

This warranty does not include parts or labour coverage for a component failure or other damage resulting from:

- Electrical power failure to the unit for any reason.
- Operating the product beyond the specifications set in the product's manual.
- Failure to clean and maintain as set forth in the product's manual.
- Installations that are not in accordance with the instructions in the product's manual.

NEW AIR HAS THE RIGHT TO VOID THE WARRANTY IF ISSUES ARE FOUND TO BE CAUSED BY AN IMPROPER INSTALLATION AND/OR INAPPROPRIATE USAGE OF THE UNIT.

